

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2943	709/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 16:34
S2	2012	370/351.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 16:34
S3	1	(zei NEAR3 fang NEAR3 hsu).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 16:35
S4	2	asicexpert.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 16:35
S5	93	US-4031321-\$.DID. OR US-4128738-\$. DID. OR US-4146110- \$.DID. OR US- 4229619-\$.DID. OR US-0211980-\$.DID. OR US-4243840-\$. DID. OR US-4296280- \$.DID. OR US- 4301332-\$.DID. OR US-4315102-\$.DID. OR US-4369335-\$. DID. OR US-4383134- \$.DID. OR US- 4421949-\$.DID. OR US-4427847-\$.DID. OR US-4451928-\$. DID. OR US-4495383- \$.DID. OR US- 4497980-\$.DID. OR US-4686698-\$.DID. OR US-4754476-\$. DID. OR US-4782533- \$.DID. OR US- 4893326-\$.DID. OR US-4899378-\$.DID. OR US-4969180-\$. DID. OR US-1061990-	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/23 16:39

\$.DID. OR US-
4991221-\$.DID. OR
US-5025473-\$.DID.
OR US-5170436-\$.
DID. OR US-5189287-
\$.DID. OR US-
5222145-\$.DID. OR
US-5317643-\$.DID.
OR US-5345510-\$.
DID. OR US-5409152-
\$.DID. OR US-
5539741-\$.DID. OR
US-5548638-\$.DID.
OR US-5557653-\$.
DID. OR US-5579537-
\$.DID. OR US-
5585839-\$.DID. OR
US-2171996-\$.DID.
OR US-5590403-\$.
DID. OR US-2311996-
\$.DID. OR US-
5596638-\$.DID. OR
US-5606643-\$.DID.
OR US-5625699-\$.
DID. OR US-5655058-
\$.DID. OR US-
5666422-\$.DID. OR
US-5711012-\$.DID.
OR US-5793120-\$.
DID. OR US-5794163-
\$.DID. OR US-
5809150-\$.DID. OR
US-5881149-\$.DID.
OR US-5912976-\$.
DID. OR US-5980261-
\$.DID. OR US-
1091999-\$.DID. OR
US-5987310-\$.DID.
OR US-6064699-\$.
DID. OR US-6122259-
\$.DID. OR US-
6137525-\$.DID. OR
US-0242000-\$.DID.
OR US-6138036-\$.
DID. OR DE-10242000-
\$.DID. OR US-
6157681-\$.DID. OR
US-2052000-\$.DID.
OR US-6179712-\$.
DID. OR US-6282205-
\$.DID. OR US-
6292440-\$.DID. OR
US-6304845-\$.DID.
OR US-0162001-\$.
DID. OR US-6377995-
\$.DID. OR US-

		6389032-\$.DID. OR US-6418203-\$.DID. OR US-6421449-\$. DID. OR US-6466550- \$.DID. OR US- 0152002-\$.DID. OR US-6466832-\$.DID. OR US-6469733-\$. DID. OR US-0222002- \$.DID. OR US- 6505160-\$.DID. OR US-6510210-\$.DID. OR US-6535590-\$. DID. OR US-6654476- \$.DID. OR US- 6560292-\$.DID. OR US-6636495-\$.DID. OR US-6658232-\$. DID. OR US-6684060- \$.DID. OR US- 6691832-\$.DID.				
S6	2	"20050220073".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/23 16:59
S7	525	covert\$4 NEAR5 analog NEAR5 digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:33
S8	306970	(encrypt\$4 encod\$4) AND (decrypt\$4 decod \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:35
S9	308422	(encrypt\$4 encod\$4) AND (decrypt\$4 decod \$4 unencrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:41
S10	75789	(compress\$4 zip\$4 (source NEAR coding)) AND (decompress\$4 unzip\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:42
S11	75790	(compress\$4 zip\$4 (source NEAR2 coding)) AND (decompress\$4 unzip \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:48

S12	75789	(compress\$4 zip\$4 (source adj coding)) AND (decompress\$4 unzip\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:49
S13	12281	((encrypt\$4 encod\$4) AND (decrypt\$4 decod \$4 unencrypt\$4)) SAME ((compress\$4 zip \$4 (source adj coding)) AND (decompress\$4 unzip \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:51
S14	0	((encrypt\$4 encod\$4) AND (decrypt\$4 decod \$4 unencrypt\$4)) SAME ((compress\$4 zip \$4 (source NEAR2 coding)) AND (decompress\$4 unzip \$4)) SAME (covert\$4 NEAR5 analog NEAR5 digital)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:52
S15	325107	convert\$4 NEAR5 analog NEAR5 digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:55
S16	433	((encrypt\$4 encod\$4) AND (decrypt\$4 decod \$4 unencrypt\$4)) SAME ((compress\$4 zip \$4 (source NEAR2 coding)) AND (decompress\$4 unzip \$4)) SAME (convert\$4 NEAR5 analog NEAR5 digital)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 11:55
S17	57	((encrypt\$4) AND (decrypt\$4 unencrypt \$4)) SAME ((compress \$4 zip\$4 (source NEAR2 coding)) AND (decompress\$4 unzip \$4)) SAME (convert\$4 NEAR5 analog NEAR5 digital)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 12:01
S18	136	(data NEAR3 sum NEAR3 accumulator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 12:09

S19	2234	((accumulator register) NEAR5 (identification id) NEAR5 (generat\$4 locat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 12:19
S20	0	((accumulator register) NEAR5 (identification id) NEAR5 (generat\$4 locat\$4)) SAME (convert\$4 NEAR5 analog NEAR5 digital) SAME (decrypt\$4) SAME (decompress\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 12:23
S21	1	((accumulator register) NEAR5 (identification id) NEAR5 (generat\$4 locat\$4)) SAME (network near3 protocol NEAR3 generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 12:25
S22	51	(network near3 protocol NEAR3 generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 12:25
S23	385	(convert\$4 NEAR5 (standard NEAR protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 12:28
S24	0	S19 SAME S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 12:28
S25	933	(convert\$4 NEAR5 (network NEAR protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 12:30
S26	1	S19 SAME S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 12:30
S27	1	((accumulator register) NEAR5 (identification id) NEAR5 (generat\$4 locat\$4) NEAR5 (auto \$4 automatically) NEAR5 (start\$4 stop \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 12:44

S28	35	(accumulator register) NEAR5 (identification id) NEAR5 (generat\$4 locat\$4) NEAR5 (auto \$4 automatically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 12:46
S29	3980	(accumulator register) SAME (identification id) SAME (generat\$4 locat\$4) SAME (auto\$4 automatically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 15:20
S30	361	(accumulator register) SAME (identification id) SAME (generat\$4 locat\$4) SAME (auto\$4 automatically) SAME (start\$4) SAME (stop \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 15:21
S31	2004	(accumulator register) NEAR5 (generat\$4 locat\$4) NEAR5 (creat \$4 generat\$4) NEAR5 (id identification ident \$6 destinat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 15:28
S32	3555	(accumulator register) NEAR5 (creat\$4 generat\$4) NEAR5 (id identification ident\$6 destinat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 15:32
S33	915	(accumulator register) NEAR5 (creat\$4 generat\$4) NEAR5 (destinat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 15:32
S34	2943	709/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 15:33
S35	2012	370/351.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 15:33
S36	3	S33 AND (S34 S35)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 15:33

S37	1	"20030200339".pn. AND (destination NEAR register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 16:12
S38	604	(accumulator register) NEAR5 (creat\$4 generat\$4) NEAR5 (id ident\$4 identification destinat\$4) NEAR5 (destinat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 16:19
S39	2792	(accumulator register) NEAR5 (creat\$4 generat\$4) NEAR5 (id ident\$4 identification destinat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 16:19
S41	5	(accumulator) NEAR5 (creat\$4 generat\$4) NEAR5 (destinat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 16:28
S42	21	(accumulator register) NEAR5 (creat\$4 generat\$4) NEAR5 (destinat\$4 NEAR (id number code identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 16:36
S43	0	(accumulator register) NEAR5 (creat\$4 generat\$4) NEAR5 (destinat\$4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 16:42
S44	10	(accumulator register) NEAR5 (creat\$4 generat\$4) NEAR5 (destinat\$4 id ident\$4 identification) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 16:43
S45	20	(accumulator register) NEAR5 (creat\$4 generat\$4 determin\$4) NEAR5 (destinat\$4 id ident\$4 identification) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 16:50
S46	10	S45 NOT S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 16:51

S47	4908	(accumulator register) NEAR5 (creat\$4 generat\$4 determin\$4) NEAR5 (destinat\$4 id ident\$4 identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 16:57
S48	2	"20050220073".pn. AND (creat\$4 SAME identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 17:14
S49	2	"20050220073".pn. AND (identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 17:16
S50	17	(accumulator register) NEAR5 (creat\$4 generat\$4) NEAR5 (destinat\$4 address) NEAR5 (receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 17:28
S51	560	(accumulator register) NEAR5 (destinat\$4 address) NEAR5 (receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 17:32
S52	14	(accumulator register) NEAR5 (destinat\$4 address) NEAR5 (equal \$4 match\$4) NEAR5 (receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 17:33
S53	14	(accumulator register) NEAR5 (destinat\$4 address) NEAR5 (equal \$4 match\$4 correspond \$4) NEAR5 (receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 17:51
S54	854	(accumulator register) same (destinat\$4 address) same (equal \$4 match\$4 correspond \$4) same (receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 18:28
S55	840	S54 NOT S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 18:28
S56	62	S54 AND "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/26 18:29

S57	5236	(transmit\$4 sender\$4) NEAR5 (stop\$4) NEAR5 (data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 09:53
S58	2948	709/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 09:54
S59	2014	370/351.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 09:54
S60	30	S57 AND (S58 S59)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 09:54
S61	2	(transmit\$4 sender\$4) NEAR5 (stop\$4) NEAR5 (data) NEAR5 (present)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 10:32
S62	1110	(receiver) NEAR5 (off (shut\$4 NEAR down \$4)) NEAR5 (data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 10:47
S63	2	S62 AND (S58 S59)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 10:47
S64	200	S62 AND ("709".clas. "370".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 10:49
S65	85	S62 AND ("709".clas. "370".clas.)	US-PGPUB	OR	ON	2009/01/27 10:52
S66	4408	(receiver) NEAR5 (off (shut\$4 NEAR down \$4) on boot power) NEAR5 (data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 10:57
S67	281	S66 AND ("709".clas. "370".clas.)	US-PGPUB	OR	ON	2009/01/27 11:01

S68	196	(receiver) NEAR5 (off (shut\$4 NEAR down \$4)) NEAR5 (on boot power) NEAR5 (data)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 11:02
S69	20	S68 AND ("709".clas. "370".clas.)	US-PGRUB	OR	ON	2009/01/27 11:02
S70	1	"5857075".pn. AND (decod\$4 convert\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/27 11:55
S71	443	(accumulator) SAME (identification id) SAME (generat\$4 locat \$4) SAME (auto\$4 automatically)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 10:34
S72	61	(accumulator) NEAR5 (creat\$4 generat\$4) NEAR5 (id identification ident\$6 destinat\$4)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 10:35
S73	5	S72 AND ("709".clas. "370".clas.)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 10:36
S74	6463	(sum\$4) NEAR5 (accumulator)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/28 10:38

1/28/2009 2:59:05 PM

C:\Documents and Settings\jtran2\My Documents\EAST\Workspaces\Applications\10\10-814-930_trx_recx_signals.wsp